




X-Type



Regular Type




S-Type




Drop Forged Overhead Conveyor Chain X348 X458 X678

Chain Number	Nominal Pitch	Actual Pitch	Pin Diameter r	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P		D	L	A	B	C	E	Q	
348	3"	3.02"	0.50"	1.81"	1.1"	0.52"	0.74"	0.55"	24750 lbs	Δ
	76.2mm	76.6mm	12.7mm	46mm	28mm	13.2mm	18.5mm	14mm	110 KN	
458	4"	4.03"	0.625"	2.244"	1.42"	0.63"	1"	0.69"	47250 lbs	Δ
	101.6mm	102.4mm	15.88mm	57mm	36mm	16mm	25.4mm	17.5mm	210 KN	
678	6"	6.03"	0.87"	3.03"	2"	0.83"	1.26"	0.98"	85500 lbs	Δ
	152.4mm	153.2mm	22mm	77mm	50.8mm	21mm	32mm	25mm	380 KN	


X-Type



Regular Type



S-Type





Drop Forged Sugar Mill Chain X698



Chain Number	Nominal Pitch	Actual Pitch	Pin Diameter r	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P		D	L	A	B	C	E	Q	
698	6"	6.03"	1.126"	3.74"	2.54"	1"	1.54"	1.26"	114750 lbs	Δ
	152.4mm	153.2mm	28.6mm	95mm	64.5mm	25.4mm	39mm	32mm	510 KN	

drop forged link pin




Standard type



Oil groove type




Smooth type





Extended Pin


TYPE - 1



TYPE - 2




Master Pin



Chain Number	Chain Pitch	Pin Diamete	Pin Length	Other Dimensions					
	P	D	L	A	B	C	M	L1	L2
X678	6"	0.87"	3.03"	1.89"	2.26"	1.18"	0.63"	3.86"	5.35"
	152.4mm	22mm	77mm	48mm	57.5mm	30mm	16mm	98mm	136mm
X458	4"	0.63"	2.24"	1.26"	1.65"	0.98"	0.47"	2.76"	4.41"
	101.6mm	16mm	57mm	32mm	42mm	25mm	12mm	70mm	112mm
X348	3"	0.50"	1.81"	0.98"	1.30"	-	-	-	-
	76.2mm	12.7mm	46mm	25mm	33mm	-	-	-	-

☆ Custom Dimensions are also available.


S228 zinc plated forged detachable chain



Chain Number	Pitch	Pin Diameter	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P	D	L	A	B	C	E	Q	
S-228	2"	0.25"	1.04"	0.756"	0.382"	0.49"	0.256"	6000 lbs	S
	50.8mm	6.3mm	26.5mm	19.2mm	9.7mm	12.4mm	6.5mm	27 KN	

☆ Custom dimensions are also available.


X228 drop forged chain



Chain Number	Pitch	Pin Diameter	Pin Length	Other Dimensions				Ultimate Tensile Strength	Type
	P	D	L	A	B	C	E	Q	
X-228	2"	0.25"	1.16"	0.71"	0.37"	0.47"	0.315"	6000 lbs	X
	50.8mm	6.3mm	29.5mm	18mm	9.4mm	12mm	8mm	27 KN	


☆ Custom dimensions are also available.

Caterpillar Drive Chain




Chain Number	Pitch	Dimensions								
	P	D	b1	h	T	d	L	A	B	C
X678-D	2"	1.13"	1.24"	1.88"	0.25"	0.56"	12"	1"	2"	1.06"
	50.8mm	28.58mm	31.55mm	47.8mm	6.4mm	14.27mm	304.8mm	25.4mm	50.8mm	27mm
X458-D	2"	1.13"	1.24"	1.88"	0.25"	0.56"	8"	1"	1.38"	1"
	50.8mm	28.58mm	31.55mm	47.8mm	6.4mm	14.27mm	203.2mm	25.4mm	35.1mm	25.4mm
X348-D	2"	1.13"	1.24"	1.88"	0.25"	0.56"	12"	1"	1.12"	0.63"
	50.8mm	28.58mm	31.55mm	47.8mm	6.4mm	14.27mm	304.8mm	25.4mm	28.5mm	16mm


Drop Forged Link Chains



Single Link



Double Link



Triple Link


Chain Number	Pitch	Pin diameter	Other Dimensions					Ultimate Tensile Strength	
	P	D	C	T	F	R	S	Q (20MnCr5)	Q (42CrMo4)
10160	4"	0.55"	1.42"	0.94"	0.37"	0.28"	0.33"	24700 lbs	47200 lbs
	101.6mm	14mm	36mm	24mm	9.5mm	7mm		110KN	210KN
10160R	4"	0.55"	1.42"	1.18"	0.53"	0.43"	0.51"	40500 lbs	74200 lbs
	101.6mm	14mm	36mm	30mm	13.5mm	11mm		180KN	330KN
12514	4.92"	0.63"	1.42"	1.18"	0.55"	0.39"	0.51"	36600 lbs	65200 lbs
	125mm	16mm	36mm	30mm	14mm	10mm		163KN	290KN
14218	5.59"	0.98"	1.97"	1.65"	0.79"	0.47"	0.75"	65200 lbs	123700 lbs
	142mm	25mm	50mm	42mm	20mm	12mm		290KN	550KN

Chain Number	Pitch	Pin diameter	Other Dimensions					Ultimate Tensile Strength	
	P	D	C	T	F	R	S	Q (20MnCr5)	Q (42CrMo4)
14226	5.59"	0.98"	1.97"	2.44"	1.18"	0.59"	1.10"	99000 lbs	177700 lbs
	142mm	25mm	50mm	62mm	30mm	15mm		440KN	790KN
16025	6.30"	0.98"	2.09"	1.97"	0.98"	0.51"	0.91"	83200 lbs	147300 lbs
	160mm	25mm	53mm	50mm	25mm	13mm		370KN	655KN
20025	7.87"	0.98"	1.97"	2.36"	1.06"	0.71"	0.98"	85500 lbs	150700 lbs
	200mm	25mm	50mm	60mm	27mm	18mm		380KN	670KN
20028	7.87"	1.18"	2.36"	2.60"	1.26"	0.79"	1.18"	112500 lbs	202500 lbs
	200mm	30mm	60mm	66mm	32mm	20mm		500KN	900KN


☆ Custom dimensions are also available.

Drop forged link chain flight


BAR - Flight




T - Flight



U - Flight



OO - Flight



☆ The dimensions of flight according to customer's requirement.
And custom flights are also available.